

# AS Series Server Rack

FLOOR STANDING CABINETS



## Standard

Comply with ANSI/EIA RS-310-D, DIN41497 part 1, IEC297-2, DIN41494 part 7, GBIT3047.2-92 standard.

## Feature

- 19 inch standard.
- Removable Side Panels, side locks optional.
- Knock off hole for entering cable on both top cover.
- Bottom panel, real panel.
- Turning angle of front door is over 180 degrees.
- Easy mounting installation.
- Unassembled package saving shipping space.
- Fans, shelf, PDU are optional.

## Loading Capacity

800 kgs.

## Degree of Protection

IP20.

## Material

SPCC Cold Rolled Steel.  
Thickness: 2.0 mm - 1.2 mm - 1.0 mm.

## Surface Finish

Powder coating.

## Cabinet Details



Fixed glass by Screws not by glue



Glass front door



Zinc plated mounting profile



Removable side panels  
(Side lock optional)




Cable entrance at bottom panel




Ground wire


### Exploded-View




### Dimension (27U 600 x 600mm)




Front (Toughened glass)




Side




Back




A-Section A



Top



Bottom





### Main Parts

S/N	Specification	Quantity	Unit	Material	Surface Finish	Remarks
1	Frame	2	Piece	SPCC cold rolled steel t1.0	Powder coated	
2	Side panel	2	Piece	SPCC cold rolled steel t1.0	Powder coated	
3	Top cover	1	Piece	SPCC cold rolled steel t1.2	Powder coated	
4	Bottom panel	1	Piece	SPCC cold rolled steel t1.2	Powder coated	
5	Mounting profile	4	Piece	SPCC cold rolled steel t2.0	Zinc plated	
6	Mounting rail	4	Piece	SPCC cold rolled steel t1.2	Powder coated	
7	Front door	1	Piece	5MM toughened glass door / SPCC t1.2	Powder coated	
8	Back door	1	Piece	Single open mesh vented door t1.2	Powder coated	
9	Castors	4	Piece	2pcs with brake		
10	Leveling feet	4	Piece			
11	Lock	2	Piece	Front handle lock, rear round lock		with 2 keys
12	M6 Square nut	30	Piece	Stainless Steel	Color Zinc	
13	M6 B-head screw	30	Piece	Stainless Steel	Color Zinc	
14	L- wrench	1	Piece	Stainless Steel	Color Zinc	

### Specification

Model No.	Capacity	Width	Depth	Height	Volume	Standard Accessories
AS.6627	(U)	(mm)	(mm)	(mm)	(CBM)	With 2 fans
	27	600	600	1387	0.166	

### Color

RAL9004	RAL7035
Black	Grey
	

### Unassembled Packing Details (3 Cartons)

